

## DESCRIPTION

**BAUXITE REMOVER** is a liquid acid based cleaning product for cleaning bauxite stains from cargo tanks.

Product Name	: <b><u>BAUXITE REMOVER</u></b>
Document No	: SP-KS-352
Chemical Name	: Chemical Mixture
Usage Area	: Cleaning of Bauxite Deposits

### A. ORGANIC PROPERTIES

Appearance

Physical Status (20°C)	: Liquid
Color	: Colorless
Odor	: Odorless

### B. PHYSICAL PROPERTIES

pH	: 1.00
Molecular Weight	: -
Flash Point	: -
Density	: 1.20 – 1.30 gram / cm <sup>3</sup>
Solubility in Water	: Completely.

### APPLICATION, FEATURES&BENEFITS

- ✓ Removes bauxite stains from all metal surfaces except galvanized, tin, zinc and aluminum and non-metal surfaces like rubber and plastic.
- ✓ Penetrates and cleans quickly.
- ✓ Cost effective, easy to apply and use.
- ✓ Non-flammable

### STORAGE INFORMATION

Store at moderate temperatures,

Packaging: 25-30-200 L. sealed plastic pails or drums,

Storage Period: 3 years

## **DIRECTIONS FOR USE/APPLICATIONS & DOSAGE RATES**

The product can be applied by diluting between 10-40% for light deposits. For heavy deposits, it can be used undiluted. After the product is poured on the dirty surface, it can be applied using brush / mop. Then, you should wait for 15 minutes. After that, please rinse the surface with water efficiently by applying high pressure water jet. Dilutions must be made in a plastic container. The acid should always be added to water, never the reverse.