

MEETING ROOM



WIDE PRODUCT
RANGE



IMO APPROVED
CHEMICALS



SAFE & RELIABLE &
FAST SERVICE



WORLDWIDE
SERVICES



THE BEST PRICE-
PERFORMANCE RATIO

Who Are We?	03
Tank Cleaner Selection Guide	04
Tank Cleaning Chemicals	04
Tank Cleaning Chemicals	05
Cargo-Hold Cleaning Chemicals	06
Coating Chemicals	07
Boiler Water Treatments	08
Cooling Water Treatments	08
Fresh Water Treatments	09
Ballast Water Treatments	09
Sewage Treatments	09
Fuel Oil Treatments	10
General Cleaning & Maintenance Chemicals	11
Special Products	12
Raw Materials	13
Test Kits	13
Supply Points	14
Supply Points	15

WHO ARE WE?

1970

Started manufacturing industrial treatment & maintenance chemicals.

1999

Introduction to the marine industry with 2000 m² production area.

2005

Started manufacturing and supplying for worldwide marine chemicals brands.

2010

Became the first marine chemicals manufacturer company which has IMO approved cleaning chemicals in Turkey.

2015

Established second factory in China with four different stock points besides the factory, to preserve our quality at Far East.

2023

Ertek Middle East FZCO is established in UAE

2024

Ertek Hellas is established in Greece

2024

Ertek Chemicals Asia Pacific Pte Ltd is established in Singapore

NOW

We ensure fast & safe services with reasonable prices by our experienced & dynamic team at 5 continents & 27 countries.

TANK CLEANER SELECTION GUIDE

CONTAMINATION	CLEANER	USAGE RATE	USAGE METHOD	RESULT	COATING
Vegetable & Animal Oil	ProTank Pure	0,2 %-0,4 %	Circulation	Hydrocarbon free, clean tanks	Proper for all coatings
	ProTank AC	2,0 %-3,0 %	Circulation	Clean Tanks, white traces may arise Not hydrocarbon free	Proper for all coatings except aluminium, zinc and galvanized
Mineral Oil, Fuel Oil, Base Oil, Lube Oil & all Annex 1 Cargo	ProTank TC	2,0 %-5,0 %	Circulation	Clean Tanks, not hydrocarbon free	Proper for all coatings
	ProTank Extra	0,3 %-1,0 %	Circulation	Clean Tanks, very low hydrocarbon (2-3 ppm) left on tank surfaces	Proper for all coatings
Hydrocarbon	ProTank Pure	0,2 %-0,4 %	Circulation	Hydrocarbon free	Proper for all coatings
	ProTank HCF	2,0 %-5,0 %	Circulation	Hydrocarbon free	Proper for all coatings
	ProTank HCF XL	1,0 %-2,0 %	Circulation	Hydrocarbon free	Proper for all coatings
White Traces After Cleaning Vegetable & Animal Oil	ProTank Brite	2,0 %-3,0 %	Circulation	White trace free tanks	Proper for all coatings except aluminium, zinc and galvanized
Inhibitor, brown spots cleaning	ProTank HCF XL	1,0 %-2,5 %	Circulation	Inhibitor free tanks	Proper for all coatings
Cleaning & Brightening Chrome Tanks	ProTank Pickling	Circulation, Spray, Brush		Cleaning & Brightening Chrome Tanks	Strong acids!!! Proper to use over chrome tanks
	ProTank Passivating	Circulation, Spray, Brush			Strong acids!!! Proper to use over chrome tanks

TANK CLEANING CHEMICALS

ProTank TC (Ex name: TANK CLEANER)

Solvent-based tank cleaner for petroleum, mineral oil, crude oil, base oil, jet oil and lube oil. (Dosage rate: 2% to 5%)

ProTank Extra (Ex name: TANK CLANER EXTRA)

Highly concentrated and effective solvent-based tank cleaner for petroleum, mineral oil, crude oil, base oil, jet oil and lube oil. (Dosage rate: Only 0,2% to 1%)

ProTank Brite (Ex name: Erclean Brite)

It removes the white residues caused by cleaning detergents, amines, caustic and fatty acids. It contains acids and surfactants in its formula and it cleans the rust and brightens the metal surfaces.

ProTank Citric

Highly concentrated acid cleaner based on citric acid for removing of white residues like metal soaps from vegetable oils and vegetable oil fatty acids, palm oils etc.

ProTank AC (Ex name: ER-AC PLUS)

KOH-based strong alkaline cleaner for vegetable oil, animal oil, fatty acids, fish oil, palm oil, greases, waxes, sludge, soot, carbon deposits, grime and general dirt. Free of sodium hydroxide.

ProTank Pure (Ex name: ER-APC EXTRA 200)

Super concentrated new generation tank cleaner to remove palm oil, vegetable oil, fish oil, mineral oil, lube oil, phthalates, paraffines and greases. It is neutral pH product and free from chlorinated/aromatic hydrocarbons, caustic and alkalines. It is at the same time a good hydrocarbon remover. This effective cleaner is low-toxic, completely biodegradable and it is safe to use for the operating staff. (Dosage rate: Only 0,2% to 0,4%)

ProTank IGS (Ex name: ERCLEAN IGS)

Heavy duty water-based alkaline cleaner and degreaser. It is mainly used for IGS (inert gas soot) cleaning in cargo tanks.

ProTank HCF (Ex name: ERCLEAN-HCF)

Water-based tank cleaner and hydrocarbon remover. After cleaning the tanks with ProTank TC, ProTank Extra and ProTank AC if presence of hydrocarbon is still detected, ProTank HCF is excellent product to remove it. Also, safe to use on zinc-silicate coated tank surfaces.

ProTank HCF XL (Ex name: ERCLEAN HFC CONCENTRATE)

High-performanced, concentrated solvent cleaner for removing hydrocarbon and inhibitors. It consists of biodegradable surface agents and water soluble solvents. It is odorless, eco-friendly product, free of acids, alkali and phosphates.

ProTank Buffer (Ex name: ERCLEAN BUFFER)

It is advised to use when the cargo tanks have to be completely free of lead, chlorides or sulphite before loading high purity cargoes.

ProTank Fresh (Ex name: ERCLEAN FRESH)

Water-based liquid used to eliminate bad odors. It is used in cargo tanks if the smell of the previous cargo is felt badly after the cleaning.

ProTank Dye (Ex name: ERCLEAN DYE)

The product is used to clean the paint discolorations on the tank surfaces after the discharge of painted gasoline cargoes.

ProTank Energy (Ex name: ERCLEAN ENER-G)

The product is a water-based concentrated slightly acidic tank cleaner formulated for a very effective removal of white residues and stains remaining after transport of fatty acids (PFAD cleaning).

ProTank Pickling (Ex name: ER PICKLING LIQUID)

Combination of strong acids like nitrite acid, hydrofluoric acid and surface active agents which must be only used on stainless steel. It can't be used on all metals except stainless steel due to its corrosive effect on other metal surfaces.

ProTank Passivating (Ex name: ER PASSIVATING LIQUID)

Acid-based concentrated liquid which used for passivating pickled installations and tank surfaces. Passivation process creates a protective chromium oxide film against corrosion contamination.

Pro40-DI Water Production Unit



We have two options: Single filter and Twin filter. The unit has been designed and manufactured for marine applications to produce demineralised water. Its resin content consists of both cations and anions. Cation resin replaces all positive ions by hydrogen H+ and Anions resin replaces negative ions by hydroxide OH-. As a result, hydrogen and hydroxide generate pure water H2O. With salt content and the conductivity at 0.05 µS/cm and silica content at 0.02 µS/cm. Filter bottles hold 40 litres resin and their capacity is 250 – 900 liters/hour for Twin set

Wall Wash Test Kit



CARGO-HOLD CLEANING CHEMICALS

ProHold Alka (Ex name: ER-AC)

Strong alkaline cleaner for removing coal cargoes residues. Also, used for clay and sulphur residues. It is a highly foaming product nevertheless, it can also be used together with foam agent if needed.

ProHold Aqua (Ex name: ER-APC AQUA)

Concentrated alkaline cleaner. It has cleaning applications including oily coal and petcoke residues. Also, used for clay and sulphur residues. It is a highly foaming product nevertheless, it can also be used together with foam agent if needed.

ProHold Chlor (Ex name: ERCLEAN PCS)

Concentrated product produced to remove petcoke from cargo hold surfaces. It is recommended to used with ProHold Foam.

ProHold Foam (FOAM MAKER)

It is a concentrated liquid blend of enviro-friendly surfactants for boosting foaming features of cargo hold cleaning products. It is suitable to use with alkaline cleaners, acid-based cleaners and sodium hypochlorite solutions.

ProClean Rust (Ex name: RUST REMOVER)

Safe acid-based product for cleaning rust and lime stains after cargo hold cleaning. It is also used for iron ore cargo cleaning.

ProHold Cement (Ex name: CEMENT REMOVER)

Strong acid compound specifically designed to deal with stubborn deposits like cement deposits and cleaning from cargo or dry cement stains from most common surfaces. It can safely be used on every metal surface except zinc, aluminum and galvanize. It does not harm to plastics and o-rings. It is a very effective product and stays longer on the hold surfaces.

ProHold Lime (Ex name: ERCLEAN LIME)

Strong acid-based cleaner to remove lime stone and slaked lime from cargo holds. It is formulated with strong surfactants, special corrosion inhibitors and acids. It is adequate to neutralize strong alkaline conditions. It is not recommended to use over aluminum, galvanized, zinc and lead surfaces.

ProHold Bauxite (Ex name: BAUXITE REMOVER)

Acid-based cleaning product for cleaning bauxite stains from cargo holds.

COATING CHEMICALS

ProHold Coat (Ex name: ERcoat EASY)

Water-based product specially formulated to make a durable, thin, temporary film layer on cargo-hold surfaces to protect the cargo walls from cement, sulphur, petcoke and coal. It is non-corrosive and safe to use on all coatings.

ProHold Limewash (Ex name: LIMEWASH)

Especially used for disinfecting coating for hold surfaces.

CHEMICAL APPLICATOR SET



AIR- OPERATED DOUBLE DIAPHRAGM PUMP

Maximum self-priming capacity : 5 m
 Max. Air supply pressure : 7 bar
 Maximum free flow rate : 5.0 lt/min
 Maximum pump speed : 4.00 cpm
 Air Pressure operating Rate : 2.5 to 100 psi
 Air inlet size : 3/8 npt(f)
 Fluid inlet & outlet size : 1/2 npt(f)



WATER-JET GUN

The Water Jet Gun in Tripod operates with high pressure water and compressed air. The use of high pressure water along with air generates a compressed jet of water reaching up-to 30-35 meters.

Air inlet size: 1/2 npt(f)
 Fluid inlet & outle size 2 npt(f)



TELESCOPIC POLE

A - 9 Meters Fiber Telescopic pole (BASIC). 5 kg, easy to use. Includes Nozzle
 B - 6 or 9 Meters Aluminium Telescopic pole (OPTIONAL). 1,5 kg - 2 kg. Includes Nozzle
 C - 12-16 Meters Carbon Fiber Telescopic pole (OPTIONAL). Includes Nozzle



HOSES

Suction hose : 10 meter
 Air hose : 25 meter
 Discharge hose : 50 meter



HYPERJET 350

High pressure water blaster 350 bar, 3x440/60Hz
 10mtr high pressure hose 400bar
 High pressure gun
 70 cm High pressure lance
 Flat jet nozzle
 94kg



HYPERJET 500

High pressure water blaster 500 bar, 3x440/60Hz
 10mtr high pressure hose
 10mtr waterproof cable
 Spray gun, single lance with quick release nozzle coupling
 High pressure nozzle
 Plunger material Ceramic
 Pump head material Hardened brass

BOILER WATER TREATMENTS

ProPure PWT (Ex name: EK-1)

A complete product to control oxygen corrosion, sludge, scale and foaming and to balance alkalinity in the boiler and steam lines.

ProPure CC (Ex name: EC-2)

A volatile amine-based product affects inhibitor for steam boilers and condensate return lines. It is used to protect systems from oxygen and carbon dioxide corrosion.

ProPure O2 (Ex name: EC-2H)

Amine-based efficient boiler and condensation line oxygen scavenger to prevent oxygen corrosion to form in the boilers and steam lines.

ProPure pH (Ex name: ERAY)

Strong alkali boiler water additive for increasing low pH in steam and boiling water boilers which works with pure water (DI water). It is used to adjust pH to ideal ranges (10-12).

ProPure Phos (Ex name: ERFOS-3)

Hardness control for boilers. It also removes the scale, lime and rust inside the boiler.

ProPure All (Ex name: EK-5)

Additive for boiler water and condensate line which consists of organic compounds which prevents corrosion, scale and sludge in the form of sediment and foaming in the steam boiler, steam lines, boiling water boiler and condensate line.

ProPure BoCo (Ex name: BOILER COAGULANT)

Sludge conditioner designed to prevent water deposits and sludge in boiler.

ProClean Comm (Ex name: ERCLEAN-WT)

A cleaner of new boilers and cooling systems on board new buildings. It will remove scale, rust, oil and grease at the same time from the systems. The product is recirculated through the system, using an external circulation pump. It can be used both in boiler and cooling systems.

Boiler Water Test Kits

COOLING WATER TREATMENTS

ProPure CWT (Ex name: ES-3D)

An inhibitor which is used in cooling water (main engine water), closed circuit heating and cooling systems. It's an excellent anti-scale and anti-corrosive. It does not contain chromate and it is compatible with glycol based antifreezes.

ProPure Freeze (Ex name: ANTIFREEZE)

An anti-corrosive product to protect the system against freezing in cooling systems. The product is in pure, concentrated form.

ProPure BioA (Ex name: ERBIOCIDE-A)

It is formulated to prevent the system from algae, bacteria, fungus, mold, oyster, moss and the contamination they cause.

Cooling Water Test Kits

FRESH WATER TREATMENTS

ProPure Eva (Ex name: EVAPORATOR TREATMENT)

It is an additive which prevents the formation of the scale, sludge in high and low-pressure fresh water producing systems. The product is also effective in removing the scale which was formed before the usage of Evaporator Treatment.

ProPure Osmo (Ex name: ERBANE)

A scale inhibitor for RO systems. It works by preventing inorganic, scale and deposit crystallization on membranes.

ProClean Osmo-B (Ex name: ERBANE BC)

An alkali membrane cleaner developed to support the cleaning of acid in soluble sulfates of calcium, barium and strontium as well as calcium fluoride.

ProPure PWT (Ex name: ERFOS-3PWT)

Fresh water system additive which protects the system against corrosion, scale, sludge in the form of mud and sediment and foaming in hot and cold water (fresh water) systems.

ProClean Osmo-A (Ex name: ERBANE ACF)

An acidic membrane cleaner specifically designed to remove fouling by iron and light calcium carbonate scaling.

ProBio Fresh Tablet (Ex name: CHLORINATING TABLET 20 GR)

A disinfectant used for chlorination of drinking water systems.

BALLAST WATER TREATMENTS

ProPure Mud (Ex name: MUD & SILT CONDITIONER)

A concentrated liquid solution formulated with special surfactants and corrosion inhibitors in order to fight formations and disperse accumulations of mud and silt in ballast water tanks.

SEWAGE TREATMENTS

ProBio CL (Ex name: ERBIO-CL)

Wastewater system disinfectant. It kills bacteria colonies wherever it is applied like floors of kitchen, aisles, cabinets and toilets; provides hygiene and healthy environment.

ProBio TD (Ex name: ERBIO-TD)

Concentrated liquid living aerobic and anaerobic bacteria selected to produce active enzymes which are required for degradation of sanitation wastes.

ProBio TDS (Ex name: ERBIO-TDS)

Powder product formulated to dissolve organic and inorganic materials, uric acid, scale, fat and grease in toilet systems, drains and pipes.

ProBio BTC (Ex name: ERBIO-BTC)

It is formulated as powerful water-based oil, fat, dirt and other solid waste materials remover. It has antibacterial specialties.

ProBio DPC (Ex name: ERBIO-DPC)

It degrades excess residual waste products, blocking sinks, showers, drains, etc. and cleans grease, fats, sewage starch and other compounds.

ProBio MSC (Ex name: ERBIO-MSD)

Biodegradable general sanitant which is manufactured from very strong disinfectants. It has multi-purpose usages, it can be used for general cleaning and sanitation.

Dosing Unit



- Max Pressure** : 15 bar
- Max Flow Rate** : 1,00 l/h
- Max Suction** : 1,5 m
- Standart Power Supply** : 230V – 50/60Hz
- Including** : Fixing bracket, delivery tubing, injection connector, suction tubing, foot filter and dosage tank.

ProBio BAC (Ex name: ERBIO-BC 850 POWDER)

A highly concentrate powder powered by the process, which combines specialized strains of microorganisms selected for their high biological activity in the degradation of a wide range of organic compounds including fats, greases, celluloses, proteins and starches.

ProBio Sweage Tablet (Ex name: CHLORINATING TABLET 200 GR)

A disinfectant used for chlorination of swimming pools, sewage and waste water systems.

ProMax Demulsifier (Ex name: ERYAK-300)

It is a mixture of specific solvents combined with emulsion break compounds, which can efficiently be used for separating the quantities of water in marine fuels by breaking the water in oil emulsions. It also dissolves the deposits in the fuel depot and breaks the paraffin and water molecules in the fuel and help a better combustion. It thins the fuel and provides a better fluidity.

ProMax Power (Ex name: ERYAK-500)

It is a süper-concentrated 3 in 1 fuel oil conditioner. It is 100 % organic and contains advanced compounds, specifically designed to increase fuel energy efficiency. It has superior sludge dispersing and dissolving property. It has unique properties to eliminate heavy metal deposits such as vanadium, lead and sulfur contaminants in fuel.

ProMax LI (Ex name: ERYAK-LS EXTRA)

Super-concentrated lubricity improver for low sulfur fuels.

ProMax PPR (Ex name: ERYAK-CFIS)

It is a pour point depressor and cold flow properties improver of marine distillate fuel. It is also suitable for dissolving of diesel oil paraffin contaminants in a same/specified dosage.

ProMax Soot-P (Ex name: SOOT REMOVER)

Powder product which cleans the soot layers at the combustion chamber and exhaust systems. It drops the ignition point of soot and ash to 250 °C. The soot and ash deposit thus ignited, leaving an easily removed ash.

ProMax Soot-L (Ex name: SOOT REMOVER LIQUID)

Liquid form of Soot Remover.

FUEL OIL TREATMENTS

ProMax FOT (Ex name: ERYAK-200)

General fuel oil treatment product. It breaks the paraffin and water molecules in the fuel and helps a better combustion. It thins the fuel and provides a better fluidity.

ProMax Dual (Ex name: ERYAK-210)

It provides full combustion efficiency for the fuel oil and gets the maximum output. It can be used in both diesel machine and boiler fuels. You may use it even in distilled fuel. It prevents combustion surfaces from carbon deposits, reduces the formation of smoke particles and reduces corrosion resulting from the low temperatures in the system. The treated fuel-oil with ProMax Dual burns completely and doesn't leave a deposit behind.

ProMax Metal (Ex name: ERYAK-220)

Efficient fuel oil additive in diesel motors and boilers reactivates with vanadium components and raises their melting point. The reactivated vanadium components remain solid. It also increases the combustion temperature, solid remains of vanadium components burn in high temperatures and their ashes are easily ejected by the gas stream, so no sulfur or sodium formations, remains at exhaust valves and turbochargers.

ProMax Bio (Ex name: ERYAK-280)

It cleans all the bacteria and microorganism colonies in fuel system, moreover it improves combustion by stabilizing the fuel.

GENERAL CLEANING & MAINTENANCE CHEMICALS

ProClean APC (Ex name: ER-APC)

Ecological water-based high-quality general cleaner and degreaser for removing mineral oil, diesel oil and dirt from all surfaces. It is low-toxic, biodegradable, excellent cleaner for engine rooms, decks, cabins, tool and floor cleaning. Besides cleaning properties, it can be used as hydrocarbon remover as well.

ProClean Teepol (Ex name: ER-TEEPOL)

Water-based liquid detergent. It is formulated for removing fat, oil, grease and grime. It is an eco-friendly product and it is non toxic, completely biodegradable and safe to be used.

ProClean Orange (Ex name: ER-APC ORANGE)

Ecological multipurpose water-based cleaner, with pleasant orange smell. It is a superior high-quality cleaner and degreaser to remove oil or dirt from any surface. This multipurpose cleaner is low-toxic, biodegradable and safe to use for the operating personnel.

ProClean Multi (Ex name: MULTICLEANER)

It is a very concentrated water-based product to remove greases, sludge, carbon deposits, hydraulic oil, fuel oil, dirt and grime from engine room, soak tanks, ultrasonic tanks, bilges, decks, cabins.

ProClean OGR (Ex name: OIL&GREASE REMOVER)

Solvent-based product developed to clean effectively petroleum and oil deposits from all metal, painted/unpainted surfaces, decks, engine rooms and bilges.

ProClean ACC (Ex name: ECC-19)

Air cooler cleaner.

ProClean ACC (Ex name: ECC-19)

Air cooler cleaner.

ProClean Carbon (Ex name: CARBON REMOVER)

Special product to remove deposits like carbon, grease, oil, varnishes from diesel engine blocks, gear boxes, pistons, rings, valves, pipes, and coolers.

ProClean Filter (Ex name: FILTER CLEANER)

Cleaner used for removal of partially carbonized oil and sludge in metal/ceramic oil filters.

ProClean Break (Ex name: CLEAN BREAK)

Powerful solvent-based emulsifying cleaner, used for cleaning fuel oil and grease deposits at the engine rooms, bilges, decks, tanks and etc.

ProClean E-fast (Ex name: ER-ELECTRIC)

Powerful solvent-based cleaner used for cleaning and degreasing oil, grease and carbon deposits from the surfaces of electric motors and equipments. It is safe to use on all kinds of metals and their alloys. It is also effective and fast cleaner with high evaporation rate.

ProClean E-slow (Ex name: ER-ELECTRIC SD)

Concentrated solvent-based cleaner used for cleaning and degreasing oil, grease and carbon deposits from the surfaces of electric motors and equipments. It is safe to use on all kinds of metals and their alloys. It has lower evaporation which means lower solvent smell in the area it is used.

ProClean E-eco (Ex name: ER-ELECTRIC NA)

Non-aromatic solvent-based cleaner used for cleaning and degreasing oil, grease and carbon deposits from the surfaces of the electric motors and equipments. It is safe to use on all kinds of metals and their alloys. It has lower evaporation rate than any other electro cleaners in the market.

ProClean Acid (Ex name: DESCALING LIQUID)

Very effective acid solution, powered by amin-based inhibitors to clean the scale and corrosion deposits left by the water in the heat changing systems like vapor-hot water boilers, heat exchangers, condensers, evaporators. Galvanized, aluminum, zinc and yellow metal surfaces is not recommended, please check special products page.

SPECIAL PRODUCTS

ProClean OrgA (Ex name: ERACID-ORG)

It is a unique, extremely strong acid-based product, eco-friendly and safe to use on all surfaces. It removes limescale, hardened sludge, cement, rust with zero vapour release, an instant solution for BWTS CIP cleaning and removal of biological wastes, oysters and mussels from sea water lines.

ProClean Safe-P (Ex name: DESCALEX POWDER)

Dry acid cleaner used for removing scale and rust deposits over aluminum, copper, zinc, galvanized metals, steel boilers, cooling systems, ejection machines, condense lines and climate systems.

ProClean Disc (Ex name: SEPERATOR DISC CLEANER)

Acid-based cleaner to remove contaminants like scale, sludge, oil and carbon over lubricating oil and fuel oil separator discs. It's suitable to use in lubricant and fuel separators.

ProClean Rust (Ex name: RUST REMOVER)

Acid-based cleaning product for cleaning rust stains. It can be also used for cleaning deposits left from the caustic-based cargos like caustic soda.

ProClean OSD (Ex name: ER-OSD)

It is developed to separate, disperse and clear accidental oil spills over the sea surface and other oil spilled places. It has low toxicity and high dispersing effect.

Oil Spill Kits & Equipments

In the event of minor oil spills during operations or maintenance a fast, efficient response is essential. Our oil spill kits, booms, sorbent pads and other damage control solutions are all designed to be deployed easily and effectively when used in conjunction with the response plan. We have 7 barrels and 12 barrels kits in our range.

ProClean Hand (Ex name: ERTEM-G)

It is specially formulated to remove oil, grease or the dust from hands. Its powerful formula ensures quick and thorough cleaning over hands after any mechanical process. It also has skin softeners in its formula and is appropriate for everyday usage.

ProClean Asteroids (Ex name: ASTEROIDS)

Produced from hard shells of fruit stones that have been stabilized by drying and degreasing. No chemicals are used in the production process, raw materials are only treated mechanically. Hence it is perfectly safe and harmless. Particle size tolerance of Ø 1,3 to Ø 1,7 mm.

ProTank Degreaser (Ex name: ER-OGR)

Odorless solvent-based product to clean effectively petroleum and oil deposits from any metal, painted/unpainted tank surfaces, decks, engine rooms and bilges.

ProClean Convert (Ex name: RUST STOP)

Instead of removing the rust, its goal is to convert the rust to a black coating that prevents further rusting. It can be applied to any rusted iron or steel surface. It converts rust into a protective black layer that seals moisture out and protects against future corrosion.

ProClean Safe-L (Ex name: DESCALEX LQ)

Applied to remove scale and rust deposits which occur on aluminum, copper, brass, stainless steel boiler tanks, cooling systems, injection machines, evaporator, seawater systems and air conditioners. It is weak and odorless acid thus it's suitable for the cleaning of all kinds of metals, if it is not heated during application.

RAW MATERIALS

CAUSTIC SODA

CITRIC ACID

HYDROCHLORIC ACID

MONO ETHYLENE GLYCOL

MONO PROPYLENE GLYCOL

SODIUM HYDROXIDE

SODIUM HYPOCHLORITE

SODIUM METABISULFITE

SODIUM THIOSULPHATE

UREA (AUS40)

ETC.

TEST KITS

BOILER WATER TEST SET

COOLING WATER TEST SET

HYDRAZINE TEST KIT

PHOSPHATE TEST KIT

ALKALINITY TEST KIT

CHLORIDE TEST KIT

NITRITE TEST KIT

HARDNESS TEST KIT

CHLORINE TEST KIT

SULFITE TEST KIT

pH PAPER

TOTAL IRON TEST KIT

POTABLE WATER TEST KIT

DRINKING WATER TEST KIT

WATER IN OIL TEST KIT


TBN TEST KIT

COMBINED TEST KIT (WIO – TBN)

WALL WASH TEST KIT

OIL SPILL KIT

SUPPLY POINTS



CONTACT US

FACTORY 1
Aydınlı-KOSB Mah. Organik Cad. KOSB Sitesi No:1 Tuzla/ISTANBUL
T. +90 (216) 499 50 00 • Pbx. +90 (216) 499 50 02
• operations@ertekchemicals.com • www.ertekchemicals.com

FACTORY 2
Si Huang Industrial Park Xiamei Town Nan An City Fujian Province /
China
T. +86 0595 - 86766763 • Pbx. +86 0595 - 86766761/5

